

## **ABOUT COMPANY**

# Path-breaking innovations with a Promise of quality!

Inspired in collection, and unmatched in design; Sunhearrt, a brand by Sunshine Tiles Company Pvt. Ltd., through its novel technology and product introductions, is leading the Ceramic industry to achieve a peerless national and global reputation in becoming a single-stop

solution for any space amplification.

Penetrating the industry with an everexpanding portfolio, Sunhearrt has now diversified its core strength of Ceramics, and Vitrified tiles into GVT/PVT, Porcelain, Sanitaryware, as well as a range of complete Tiling Solutions.

# Company strength and achievements that defines our place in the industry.



AMONG **TOP 10** CERAMIC BRANDS IN INDIA



LARGEST VITRIFIED TILES
PLANT NEAR KANDLA PORT



14+ SIZES IN 5000+ DESIGNS



ONE OF THE LARGEST TILE EXPORTERS, CONSECUTIVELY FOR THE LAST 6 YEARS



1,00,000+ SQM. MANUFACTURING CAPACITY / DAY



PRESENCE IN 83+ COUNTRIES



19 PRODUCTION LINES



THE FIRST COMPANY IN
THE CERAMIC INDUSTRY WITH
3-STAR EXPORT HOUSE



900+ CHANNEL PARTNERS



INVESTMENTS IN RENEWABLE ENERGY

# Acing interiors by Enhancing spaces!

Fulfilling an array of myriad construction requirements, Sunhearrt craftS high-end products with a keen focus on delivering the best. prioritising customer satisfaction, we create products that are unique, sustainable, durable, in addition to

being easy to install, maintain, bacteria protected, as well as resistant to fire, heat, and chemicals; making them a preferred choice for designing any space that speaks opulence.



# Tiles

Flooring the extensions of your dream space, tiles from Sunhearrt are a great addition to every ambience. With their simplistic elegance and finesse, our tiles introduce modernity and grandeur by manufacturing the best alternatives and replacements to natural surfaces. This collection, thence, is the perfect choice for 'architecting' the spectacular!


80x300cm
15mm

The eminence *of* a grander size!



# **DESIGN RANGE**

## MARBELLOUS COLLECTION



## PEPPER STONE



9	DESIGNS
14	SKU

The enigma of nature that resonates in the serenity of chosen spaces.

Experience the paradigm of exquisiteness with variety in designs and patterns with our latest Marbellous Collection & Pepper Stone, a series that intends to reflect the charm of outdoors; indoors!

## MARBELLOUS COLLECTION 80x300cm - 15mm THICKNESS



STATVARIO BLANCO

SIZE - 80x300cm
FINISH - GLOSSY
BODY - WHITE BODY
RANDOM - 1 FACE





MARQUINA WHITE

SIZE - 80x300cm
FINISH - GLOSSY
BODY - WHITE BODY
RANDOM - 1 FACE






## CALCATTA BROWN

SIZE - 80x300cm
FINISH - GLOSSY
BODY - WHITE BODY
RANDOM - 1 FACE








# FASTING WHITE

SIZE - 80x300cm
FINISH - GLOSSY
BODY - WHITE BODY
RANDOM - 1 FACE





# MARQUINA NERO

SIZE - 80x300cm
FINISH - GLOSSY
BODY - BLACK BODY
RANDOM - 1 FACE







# BITEN PEARL

SIZE - 80x300cm FINISH - GLOSSY BODY - BLACK BODY RANDOM - 1 FACE






# BRUSHTA NOIR

SIZE - 80x300cm FINISH - GLOSSY BODY - BLACK BODY RANDOM - 1 FACE







## **EXCEL WHITE**

SIZE - 80x300cm
FINISH - GLOSSY
BODY - WHITE BODY
RANDOM - 1 FACE




## EXCEL BLACK

SIZE - 80x300cm
FINISH - GLOSSY
BODY - BLACK BODY
RANDOM - 1 FACE







# STEEL DARK GREY

SIZE - 80x300cm
FINISH - POLISHED
BODY - GREY BODY
RANDOM - 1 FACE



# SIGMA AMBER

SIZE - 80x300cm
FINISH - POLISHED
BODY - AMBER BODY
RANDOM - 1 FACE







#### PEPPER STONE COLLECTION 80x300cm - 15mm THICKNESS







- 80x300cm SIZE 360 view - POLISHED FINISH BODY - VERDE BODY RANDOM - 1 FACE



SIZE - 80x300cm FINISH - POLISHED BODY - BLACK BODY RANDOM - 1 FACE



SIZE - 80x300cm FINISH - POLISHED BODY - WHITE BODY RANDOM - 1 FACE

SALT WHITE





### **TECHNICAL SPECIFICATION**

S. No	Characteristics	IS 15622:2017 Group Bla	EN 14411:2016 Group Bla	TEST METHOD	SUNHEARRT VALUE
A	DIMENSION & SURFACE QUALITY				
ı	Length & Width	±0.1%	± 0.6%		± 0.1%
Ш	Thickness	± 5.0%	± 5.0%		± 4%
III	Straightness of Side	±0.1%	± 0.5 %		± 0.1%
IV	Rectengularity	±0.1%	± 0.5 %		± 0.1%
V	Surface Flatness			ISO 10545-2	
а	Center curvatue (%)	± 0.5 %	± 0.5 %		± 0.2 %
b	Edge curvature (%)	± 0.5 %	± 0.5 %		± 0.2 %
С	Corner warpage (%)	± 0.5 %	± 0.5 %		± 0.2 %
VI	Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects		Min. 98 % of tiles will b free from visible defect
В	PHYSICAL PROPERTIES				
ı	Water Absorption	<0.08% Ind Max 0.1%	<0.5% Ind Max 0.6%	ISO 10545-3	<0.05%
П	Modulus of Rupture [N/mm2]	Av 35, Individual 32 min	Av 35, Individual 32 min	ISO 10545-4	>40
III	Breaking Strength in N	700 for < 7.5mm thickness 1300 for ≥ 7.5mm thickness	700 for< 7.5mm thickness 1300 for ≥ 7.5mm thickness	ISO 10545-4	>1800
IV	Moisture Expansion in mm/m	0.02	0.06% /0.6mm/m	ISO 10545-10	Nil
V	Resistance to Abrasion of glazed tiles( Class I to V )	Depending on surface ( As reported)	Depending on surface ( As reported)	ISO 10545-7	Min Class 3 for PGVT
VI	Coefficient of linear thermal expansion from embiant temperature to 100 ° C	6 X 10 - <sup>6</sup> K- <sup>1</sup>	9 X 10 - <sup>6</sup> K- <sup>1</sup> max	ISO 10545-8	6 X 10 - <sup>6</sup> K- <sup>1</sup> max
VII	Thermal Shock Resistance	10 Cycle Passed	10 cycle min	ISO 10545-9	10 cycle min
VIII	Crazing Resistance	4 cycle	2 Cycle ( @ 5 bar))	ISO 10545-11	4 cycle passed
IX	Frost resistance	100 Cycle	Required	ISO 10545-12	Passed
х	Impact Resistance	0.55	0.55	ISO 10545-5	0.75
ΧI	Bulk Density	2.2	Not A requirement		2.2 gm/cc.min
С	CHEMICAL PROPERTIES				
I	Stain Resistance	Min Class I	Min Class 3	ISO 10545-14	Class 3
Ш	Resistance to household chemicals	Class AA	Min Class B	ISO 10545-13	Class A

PACKING DETAILS									
S.No.	SIZE	PIECES / BOX	COVERAGE AREA / BOX		WEIGHT / BOX				
1	80X300cm	1 pcs	25.83 sq.ft.	2.40 sq. meter	80 kg (Approx)				

Note: Color shown in catalog may vary with the original tile. Slight shade & size variation is an inherent property of ceramic / Vitrified tiles. For Normal Glossy Class III, High Glossy Class II/Class III, Matt Class III/Class IV. For Full Body Tiles (Without Glazed) "Physical Properties V, VII & VIII" are not Applicable, Stain Resistance will be Min Class 1.

We also comply other quality standards like ISO 13006, American ANSI etc...



101-103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad - 380 054. Gujarat, INDIA T. +91-79-29704833, +91-79-61554444 | E. info@sunhearrt.com

#### **MUMBAI OFFICE**

301/A, 3rd Floor, Sri Krishna, Opp. Laxmi Industrial Estate, New Link Road, Andheri (W) Mumbai - 400053 (Maharashtra) T. +91-99099 80498 | E. showroom1.mh@sunhearrt.com

#### **DELHI OFFICE**

D-1, Mansarovar Garden, New Delhi-110015

T. +91-95120 00324

E. showroom1.dl@sunhearrt.com

### **BENGALURU OFFICE**

150 Rashtriya Vidyalay Road, Nr. Minerva Circle, Vishweshwarapura, Mavalli, Bangalore - 560004 (Karnataka) T. +91-95120 00270 | E. showroom1.ka@sunhearrt.com

### CHENNAI OFFICE

"Megh Towers" Old No. 307, New No. 165, Poonamallee High Road, Maduravoyal, Chennai - 600095 (Tamilnadu) T. +91-70944 39491 | E. showroom2.tn@sunhearrt.com

#### **COCHIN OFFICE**

1/15-1, Pushpmangalam Estate, Nr. Bhima Jewellery, NH Bye pass, Edappally, Cochin - 682024 (Kerala) T. +91-74339 70981 | E. showroom1.kl@sunhearrt.com

#### INTERNATIONAL ENQUIRY

T. +91-99099 88489 | E. export@sunhearrt.com

TOLL FREE: 1800 233 1012

E. info@sunhearrt.com | www.sunhearrt.com















